

## BARRAS DE COBRE ELECTROLITICO

**ALEACION: C-11000**

**NORMA DE FABRICACIÓN: A.S.T.M. B-187**

**LARGO DE 3.66 METROS**

**TEMPLE: SUAVE, SEMIDURO Y DURO**

### REDONDA

MEDIDAS		PESOS APROXIMADOS	
DIAMETRO	MM	X MT	X PIEZA
3/16	4.7625	0.159	0.582
1/4	6.3500	0.282	1.032
5/16	7.9375	0.441	1.614
3/8	9.5250	0.635	2.324
7/16	11.1125	0.864	3.162
1/2	12.700	1.129	4.132
5/8	15.875	1.763	6.453
3/4	19.05	2.54	9.296
7/8	22.225	3.46	12.656
1	25.4	4.52	16.529
1 1/8	28.575	5.72	20.917
1	31.75	7.06	25.825
1 1/2	38.10	10.16	37.186
1 5/8	41.40	12.3	45.018
1 3/4	44.45	13.83	50.614
2	50.80	18.07	66.122
2 1/4	57.15	22.86	83.657
2 1/2	63.50	28.23	103.318
3	76.20	40.64	148.742
4	101.6	72.28	264.545

### CUADRADA

MEDIDAS		PESOS APROXIMADOS	
DIAMETRO	MM	X MT	X PIEZA
1/4	6.3500	0.3590	1.314
5/16	7.9375	0.5610	2.053
3/8	9.5250	0.8080	2.957
7/16	11.113	1.1000	4.026
1/2	12.700	1.4370	5.259
5/8	15.875	2.2450	8.217
3/4	19.05	3.2350	11.84
7/8	22.225	4.4010	16.108
1	25.4	5.7490	21.041
1 1/4	31.75	8.9840	32.881
1 1/2	38.10	12.9360	47.346
1 3/4	44.45	17.6030	64.424
2	50.80	23.0060	84.202
2 1/2	63.50	35.9380	131.533
3	76.20	51.7560	189.427