

SOLERAS DE ACERO INOXIDABLE					
TIPO: 304			LARGO DE 3.05 Y 6.10 MTS		
CORTE DE PLACA Y PERFILADAS					
MEDIDAS				PESO APROXIMADO	
PULGADAS		MILIMETROS		KG	KG
ESPESOR	ANCHO	ESPESOR	ANCHO	X MT	PIEZA
1/8	3/4	3,18	19,05	0,500	1,525
	1		25,40	0,640	1,952
	1-1/4		31,75	0,800	2,440
	1-1/2		38,10	0,930	2,837
	2		50,80	1,300	3,965
	2-1/4		57,15	1,440	4,392
	2-1/2		63,50	1,620	4,941
	3		76,20	1,925	5,871
	3-1/2		88,90	2,250	6,863
	4		101,60	2,600	7,930
3/16	3/4	4,76	19,05	0,750	2,288
	1		25,40	1,000	3,050
	1-1/4		31,75	1,254	3,813
	1-1/2		38,10	1,500	4,575
	2		50,80	2,000	6,100
	2-1/4		57,15	2,200	6,710
	2-1/2		63,50	2,500	7,625
	3		76,20	3,000	9,150
	3-1/2		88,90	3,400	10,370
	4		101,60	3,600	10,980

SOLERAS DE ACERO INOXIDABLE					
TIPO: 304			LARGO DE 3.05 Y 6.10 MTS		
CORTE DE PLACA Y PERFILADAS					
MEDIDAS				PESO APROXIMADO	
PULGADAS		MILIMETROS		KG	KG
ESPESOR	ANCHO	ESPESOR	ANCHO	X MT	PIEZA
1/4	3/4	6,35	19,05	0,900	2,745
	1		25,40	1,300	3,965
	1-1/4		31,75	1,600	4,880
	1-1/2		38,10	1,900	5,795
	2		50,80	2,600	7,930
	2-1/4		57,15	2,900	8,845
	2-1/2		63,50	3,300	10,065
	3		76,20	3,900	11,895
	3-1/2		88,90	4,500	13,725
	4		101,60	5,100	15,555
5/16	3/4	7,94	19,05	1,200	3,660
	1		25,40	1,600	4,880
	1-1/4		31,75	2,000	6,100
	1-1/2		38,10	2,350	7,168
	2		50,80	3,150	9,608
	2-1/4		57,15	3,650	11,133
	2-1/2		63,50	4,000	12,220
	3		76,20	4,725	14,411
	3-1/2		88,90	5,500	16,775
	4		101,60	6,300	19,215

SOLERAS DE ACERO INOXIDABLE					
TIPO: 304			LARGO DE 3.05 Y 6.10 MTS		
CORTE DE PLACA Y PERFILADAS					
MEDIDAS				PESO APROXIMADO	
PULGADAS		MILIMETROS		KG	KG
ESPESOR	ANCHO	ESPESOR	ANCHO	X MT	PIEZA
3/8	3/4	9,53	19,05	1,400	4,270
	1		25,40	1,900	5,795
	1-1/4		31,75	2,400	7,320
	1-1/2		38,10	2,850	8,693
	2		50,80	3,800	11,590
	2-1/4		57,15	4,250	12,963
	2-1/2		63,50	4,780	14,579
	3		76,20	5,680	17,324
	3-1/2		88,90	6,600	20,130
	4		101,60	7,530	22,967
1/2	3/4	12.70	19,05	1,900	5,795
	1		25,40	2,500	7,625
	1-1/4		31,75	3,200	9,760
	1-1/2		38,10	3,800	11,590
	2		50,80	5,100	15,555
	2-1/4		57,15	5,700	17,385
	2-1/2		63,50	6,400	19,520
	3		76,20	7,700	23,485
	3-1/2		88,90	8,900	27,145
	4		101,60	10,000	30,500

SOLERAS DE ACERO INOXIDABLE					
TIPO: 304			LARGO DE 3.05 Y 6.10 MTS		
CORTE DE PLACA Y PERFILADAS					
MEDIDAS				PESO APROXIMADO	
PULGADAS		MILIMETROS		KG	KG
ESPESOR	ANCHO	ESPESOR	ANCHO	X MT	PIEZA
5/8	1	15,88	25,40	3,200	9,760
	1-1/4		31,75	4,000	12,200
	1-1/2		38,10	4,700	14,335
	2		50,80	6,800	20,740
	2-1/4		57,15	7,200	21,960
	2-1/2		63,50	8,000	24,400
	3		76,20	9,450	28,823
	3-1/2		88,90	11,000	33,550
	4		101,60	12,600	38,430
3/4	1	19,05	25,40	3,600	10,980
	1-1/4		31,75	4,750	14,488
	1-1/2		38,10	5,700	17,385
	2		50,80	7,600	23,180
	2-1/4		57,15	8,550	26,078
	2-1/2		63,50	9,500	28,975
	3		76,20	11,400	34,770
	3-1/2		88,90	13,300	40,565
	4		101,60	15,200	46,360
1	1-1/2	25,4	38,10	7,600	23,180
	2		50,80	10,200	31,110
	2-1/2		63,50	13,000	39,650
	3		76,20	15,200	46,360
	3-1/2		88,90	17,800	54,290

	4		101,60	20,300	61,915
--	---	--	--------	--------	--------