

SOLERAS O PLETINAS DE COBRE ELECTROLITICO					
ALEACION: C-11000 NORMA DE FABRICACIÓN: A.S.T.M. B-187					
TEMPLE: SUAVE, SEMIDURO Y DURO				LARGO: 3.66 METROS	
MEDIDAS				PESOS APROXIMADOS	
PULGADAS		MILIMETROS			
ESPEJOR	ANCHO	ESPEJOR	ANCHO	X MT	X PIEZA
1/8	3/8	3.2	9.5	0.27	0.9882
	1/2		12.7	0.359	1.3139
	5/8		15.8	0.449	1.64334
	3/4		19	0.539	1.97274
	1		25.4	0.719	2.63154
	1 1/4		31.7	0.898	3.28668
	1 1/2		38.1	1.078	3.94548
	2		50.8	1.437	5.25942
	3		76.2	2.16	7.9056
3/16	1/2	4.8	12.7	0.539	1.97274
	3/4		19.0	0.809	2.96094
	1		25.4	1.078	3.94548
	1 1/4		31.7	1.348	4.93368
	1 1/2		38.1	1.617	5.91822
	2		50.8	2.156	7.89096
	3		76.2	3.234	11.83644
	4		101.6	4.312	15.78192
1/4	1/2	6.4	12.7	0.719	2.63154
	5/8		15.8	0.898	3.28668
	3/4		19.0	1.078	3.94548
	1		25.4	1.437	5.25942
	1 1/4		31.7	1.798	6.58068
	1 1/2		38.1	2.156	7.89096
	2		50.8	2.875	10.5225
	2 1/2		63.5	3.594	13.15404
	3		76.2	4.312	15.78192
	4		101.6	5.75	21.045
	5		127.0	7.188	26.30808
	6		152.5	8.625	31.5675

SOLERAS O PLETINAS DE COBRE ELECTROLITICO					
ALEACION: C-11000 NORMA DE FABRICACIÓN: A.S.T.M. B-187					
TEMPLE: SUAVE, SEMIDURO Y DURO LARGO: 3.66 METROS					
MEDIDAS				PESOS APROXIMADOS	
PULGADAS		MILIMETROS			
ESPESOR	ANCHO	ESPESOR	ANCHO	X MT	X PIEZA
3/8	3/4	9.5	19.0	1.618	5.92188
	1		25.4	2.156	7.89096
	1 1/4		31.7	2.695	9.8637
	1 1/2		38.1	3.235	11.8401
	2		50.8	4.313	15.78558
	2 1/2		63.5	5.391	19.73106
	3		76.2	6.469	23.67654
	3 1/2		88.9	7.546	27.61836
	4		101.6	8.625	31.5675
	5		127	10.780	39.4548
	6		152.4	12.936	47.34576
	8		203.2	17.322	63.4
1/2	1	12.70	25.4	2.875	10.5225
	1 1/4		31.7	3.594	13.15404
	1 1/2		38.1	4.313	15.78558
	2		50.8	5.750	21.045
	2 1/2		63.5	7.188	26.30808
	3		76.2	8.625	31.5675
	3 1/2		88.9	10.063	36.83058
	4		101.6	11.501	42.09366
	5		127	14.375	52.6125
	6		152.4	17.250	63.135
3/4	2	19	50.8	8.625	31.5675
	3		76.2	12.938	47.35308
	4		101.6	17.250	63.135
1	2	25.4	50.8	11.480	42.0168
	3		76.2	17.210	62.9886
1-1/2	4	38.1	101.6	34.70	127.00